

it's **GO** time



Not actual patient.

Your guide to GOCOVRI Onboard® and Assistance Programs

WHAT IS GOCOVRI?

GOCOVRI® (amantadine) extended release capsules is a prescription medicine used:

- for the treatment of dyskinesia (sudden uncontrolled movements) in people with Parkinson's disease who are treated with levodopa therapy or levodopa therapy with other medicines that increase the effects of dopamine in the brain.
- with levodopa and carbidopa in people with Parkinson's disease who are having "off" episodes.

It is not known if GOCOVRI is safe and effective in children.

IMPORTANT SAFETY INFORMATION

DO NOT take GOCOVRI if you have severe kidney problems.


Please see additional Important Safety Information (page 5) and accompanying full Prescribing Information and Medication Guide (in pocket) or visit [Gocovri.com](https://www.Gocovri.com).

GOCOVRI®
(amantadine) extended release capsules
68.5 mg | 137 mg

GO with GOCOVRI

GOCOVRI is the **only** medicine used for **both** dyskinesia and OFF episodes in patients with Parkinson's disease who are taking levodopa.

Take GOCOVRI at nighttime to manage dyskinesia and OFF time throughout the day



Take GOCOVRI once daily at night



While you sleep, GOCOVRI releases slowly in your body



When you wake up in the morning, GOCOVRI has reached high levels, so you are ready for the full day ahead

GOCOVRI reduces dyskinesia and OFF time for
more GOOD ON time throughout your day.

IMPORTANT SAFETY INFORMATION (cont'd)

WHAT SHOULD I AVOID WHILE TAKING GOCOVRI?

Do not stop or change the dose of GOCOVRI before talking with your doctor. Call your healthcare provider if you have symptoms of withdrawal such as fever, confusion, or severe muscle stiffness.

Do not drink alcohol while taking GOCOVRI as it can increase your chances of serious side effects.

Do not drive, operate machinery, or do other dangerous activities until you know how GOCOVRI affects you.

If you took too much GOCOVRI, call your doctor or go to the nearest hospital emergency room right away.

Get ready to GO in 3 STEPS

Here's what to expect now that your doctor has started you on GOCOVRI

STEP

1

THE PHARMACY CALLS YOU

Expect to get a call from 1-412-413-8000 or you can call 1-844-GOCOVRI (1-844-462-6874)

STEP

2

GOCOVRI IS EXPRESS-MAILED TO YOU

Once our specialty pharmacy confirms your address over the phone, they will arrange express delivery of GOCOVRI directly to your door, with no need to go to the pharmacy

STEP

3

YOU'LL GET A FOLLOW-UP CALL

After you receive GOCOVRI, your GOCOVRI Care Coordinator will call you to answer any questions you may have and to discuss next steps



GOCOVRI
ONBOARD



**Call 1-844-GOCOVRI
(1-844-462-6874)**

and press 1

for a GOCOVRI Care Coordinator

Monday-Friday, 8 AM-8 PM ET



GO with GOCOVRI Onboard® for help with GOCOVRI access



Your GOCOVRI Care Coordinator will work directly with you to see if you are eligible for GOCOVRI assistance through 1 of 2 savings programs



\$20 CO-PAY ASSISTANCE PROGRAM*

- You must have a commercial health plan to participate
- You pay a \$20 co-pay per prescription until the maximum annual benefit is reached



PATIENT ASSISTANCE PROGRAM*

If you don't have insurance, your insurance doesn't cover GOCOVRI*, or if you can't afford GOCOVRI, the Patient Assistance Program may help you get GOCOVRI at no cost

If you do not qualify for these programs, you still may be able to get help with access to GOCOVRI.



INDEPENDENT CHARITABLE FOUNDATIONS PROGRAM

If you have government-sponsored insurance, independent organizations and/or other resources may be available to help

*This offer is not valid for prescriptions that are eligible to be reimbursed, in whole or in part, by Medicaid, Medicare, TRICARE, or the VA healthcare. For full terms and conditions, please visit Gocovri.com/getting-gocovri.

Please see additional Important Safety Information (page 5) and accompanying full Prescribing Information and Medication Guide (in pocket) or visit Gocovri.com.

WHAT IS GOCOVRI?

GOCOVRI® (amantadine) extended release capsules is a prescription medicine used:

- for the treatment of dyskinesia (sudden uncontrolled movements) in people with Parkinson's disease who are treated with levodopa therapy or levodopa therapy with other medicines that increase the effects of dopamine in the brain.
- with levodopa and carbidopa in people with Parkinson's disease who are having "off" episodes.

It is not known if GOCOVRI is safe and effective in children.

IMPORTANT SAFETY INFORMATION

DO NOT take GOCOVRI if you have severe kidney problems.

WHAT SHOULD I AVOID WHILE TAKING GOCOVRI?

Do not stop or change the dose of GOCOVRI before talking with your doctor. Call your healthcare provider if you have symptoms of withdrawal such as fever, confusion, or severe muscle stiffness.

Do not drink alcohol while taking GOCOVRI as it can increase your chances of serious side effects.

Do not drive, operate machinery, or do other dangerous activities until you know how GOCOVRI affects you.

If you took too much GOCOVRI, call your doctor or go to the nearest hospital emergency room right away.

WHAT ARE THE POSSIBLE SIDE EFFECTS OF GOCOVRI?

- **Falling asleep during normal activities.** Activities may include driving, talking, or eating. You may fall asleep without being drowsy or warning.
- **Suicidal thoughts or actions and depression.** Tell your doctor if you have new or sudden changes in mood, behaviors, thoughts, or feelings, including thoughts about hurting yourself or ending your life.
- **Hallucinations.** GOCOVRI can cause or worsen hallucinations (seeing or hearing things that are not real) or psychotic behavior.

WHAT ARE THE POSSIBLE SIDE EFFECTS OF GOCOVRI? (cont'd)

- **Feeling dizzy, faint or lightheaded, especially when you stand up (orthostatic hypotension).** Lightheadedness or fainting may happen when getting up too quickly after long periods of time, when first starting GOCOVRI, or if your dose has been increased.
- **Unusual urges.** Examples include gambling, sexual urges, spending money, binge eating, and the inability to control them.

The most common side effects of GOCOVRI include dry mouth, swelling of legs and feet, constipation, and falls. If you or your family notices that you are developing any new, unusual or sudden changes in behavior or related symptoms, tell your healthcare provider right away.

These are not all the possible side effects of GOCOVRI. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

TELL YOUR DOCTOR ABOUT ALL MEDICAL CONDITIONS, INCLUDING IF YOU:

- have kidney problems.
- have unexpected or unpredictable sleepiness, sleep disorders, or currently take medication to help you sleep or make you drowsy.
- are pregnant or plan to become pregnant or are breastfeeding or plan to breastfeed. GOCOVRI may harm your unborn baby and can pass into your breastmilk.

Tell your doctor about all the medicines you take. Include prescription and over-the-counter medicines, vitamins, and herbal supplements.

Especially tell your doctor if you take medicines like sodium bicarbonate, or have had or are planning to have a live flu vaccination (nasal spray). You can receive the flu vaccination shot but should not get a live flu vaccine while taking GOCOVRI.

Please refer to the accompanying full Prescribing Information and Medication Guide (in pocket) or visit [Gocovri.com](https://www.gocovri.com).

Important tips to remember once you receive GOCOVRI®

- Take GOCOVRI exactly as your doctor tells you to.
- Start GOCOVRI with 1 capsule at bedtime. Your doctor may change your dose if needed. If your doctor tells you to take 2 capsules, take them together at bedtime.
- GOCOVRI may be taken with food or without food.
- Swallow GOCOVRI capsules whole. Do not crush, chew, or divide.
- GOCOVRI capsules may be opened and sprinkled on applesauce before swallowing. Sprinkle all of the medicine in the capsule on the applesauce. Take all of the medicine right away without chewing.
- If you miss a dose of GOCOVRI, do not take an extra dose. Take your usual dose of GOCOVRI on the next day at bedtime.
- Do not stop or change GOCOVRI before talking with your doctor. Call your doctor if you have symptoms of withdrawal such as fever, confusion, or severe muscle stiffness.
- Do not drink alcohol with your dose of GOCOVRI.
- If you have forgotten to take GOCOVRI for several days, contact your doctor.



**For more help getting started on GOCOVRI,
call a GOCOVRI Care Coordinator at
1-844-GOCOVRI (1-844-462-6874) and press 1.
Monday-Friday, 8 AM-8 PM ET**

Please see Important Safety Information (page 5) and accompanying full Prescribing Information and Medication Guide (in pocket) or visit [Gocovri.com](https://www.gocovri.com).



Adamas, Gocovri, and Gocovri Onboard are registered trademarks of Adamas Pharmaceuticals, Inc. or its related companies.
© 2022 Adamas Pharmaceuticals, Inc. or its related companies.
All rights reserved. GOC.2022-0919.

GOCOVRI®
(amantadine) extended release capsules
68.5 mg | 137 mg